

MARCH 2026

# SALES PRODUCT CATALOGUE



CHECK OUT OUR NEW

**SMART WALL**



0508 836 733

0508TEMPFENCE.CO.NZ



**0508TEMPFENCE**



0508TEMPENCE  
0508tempence.co.nz  
0508 836 733



# CONTENTS

04 ABOUT US

05 TEMPORARY FENCING & BARRIERS



09 SMARTWALL



11 CROWD CONTROL BARRIERS



13 CONSTRUCTION BARRIERS



15 ACOUSTIC CURTAINS



17 PORTABLE TOILETS/SHOWERS



20 TRAFFIC SITE & SAFETY EQUIPMENT



22 WATER FILLED BARRIERS



24 Y-POSTS



26 SITE SECURITY CAMERAS



29 SHADECLOTH



32 GROUND PROTECTION MATS



# ABOUT US

---


0508TempFence has grown into one of Aotearoa's leading complete site-solution providers, delivering competitive pricing, fast and reliable service, and industry-leading products. Since 1999, we've continually refined our product range and systems with the support of industry experts, ensuring you receive only the highest-quality products.

Our goal is to keep your construction project or event running smoothly. We offer next-day delivery on all sales to alleviate last minute stress.

As one of New Zealand's preferred specialists in temporary fencing hire and sales, we know exactly what works on site. We're committed to delivering secure, safe, and fully compliant site solutions that meet New Zealand Standards. From infrastructure and civil works to industrial, commercial, residential, and events, our team supports projects across the country. With branches in Auckland and Christchurch, we've got New Zealand covered.



“ 0508TempFence is  
New Zealand's preferred specialist in  
temporary fence solutions. ”



# TEMPORARY FENCING AND BARRIERS

At 0508TempFence, we're proud to be leaders in temporary fence hire. But did you know we also offer a selection of portable fencing for purchase? Purchasing is often the best option for those who plan to use temporary fencing for two years or more.


We provide various styles of fencing to suit your site's specific needs. Pair our fence panels with a selection of accessories like plastic and concrete fence feet, clamps, handrails, dog bars, shade cloth and stays for a complete temporary fencing system.

Scan this QR code to check out our range of temporary fencing and barriers






## TEMPORARY FENCE RANGE



### MAXI PANEL


*HEAVY DUTY WELDED MESH*

<b>Panel size</b>	2400mm (W) x 2100mm (H)
<b>Frame</b>	32mm O.D.
<b>Infill mesh</b>	4mm x 4mm 150mm x 60mm spacings
<b>Weight</b>	22kg
<b>Finish</b>	Hot dipped galvanised 42 microns



### SMART PANEL

<b>Panel size</b>	2400mm (W) x 2100mm (H)
<b>Frame</b>	32mm O.D.
<b>Infill mesh</b>	2.5mm x 2.5mm 150mm x 60mm spacings
<b>Weight</b>	11kg
<b>Finish</b>	Hot dipped galvanised



### SMART PANEL PRO

<b>Panel size</b>	2400mm (W) x 2100mm (H)
<b>Frame</b>	32mm O.D.
<b>Infill mesh</b>	3mm x 3mm 150mm x 60mm spacings
<b>Weight</b>	14kg
<b>Finish</b>	Hot dipped galvanised

## DON'T FORGET TO ADD



**CONCRETE  
FILLED FEET**



**BLOW MOULDED  
FEET**



**UNFILLED FEET**



**MAXI CLAMP  
25/25 71MM PITCH**



**SMART CLAMP  
25/25 71MM PITCH**




**GATE HINGE  
25/25**



## SEMI-PERMANENT FENCING

STRONGER & STURDIER THAN STANDARD TEMPORARY FENCE



### SEMI-PERMANENT

<b>Panel size</b>	2400mm (W) x 2100mm (H)
<b>Frame</b>	32mm O.D.
<b>Infill mesh</b>	4mm x 4mm 150mm x 60mm spacings
<b>Weight</b>	22kg
<b>Finish</b>	Hot dipped galvanised 42 microns

### RAMMED POST

<b>Weight</b>	5kg
<b>Length</b>	2400mm
<b>Finish</b>	Galvanised
<b>Weight</b>	22kg
<b>Finish</b>	Hot dipped galvanised 42 microns



## TEMPORARY POOL FENCING

METAL POOL FEET SOLD SEPARATELY



### ATLANTIS POOL


#### PANEL 2.0M

<b>Panel size</b>	2000mm (W) x 1250mm (H)
<b>Frame</b>	25mm x 25mm SHS
<b>Infill pickets</b>	20mm O.D. 89mm spacings
<b>Weight</b>	18.5kg
<b>Finish</b>	Fully Galvanised 42 microns

### ATLANTIS POOL

#### SELF CLOSING GATE

<b>Panel size</b>	1050mm (W) x 2000mm (H)
<b>Frame</b>	Outer 40mm x 40mm SHS Inner 25mm x 25mm SHS
<b>Infill pickets</b>	20mm O.D. 89mm spacings
<b>Weight</b>	23.5kg
<b>Finish</b>	Fully Galvanised 42 microns



\* This product restricts and limits access and should never be used as a substitute to active supervision. Supervision is vital to prevent drownings or water related injuries.



# BRACING & SUPPORTS


AVAILABLE  
IN SMART  
(1MM THICK)  
OR MAXI  
(2MM THICK)



SUPPORT STAY




HOOK STAY



# TEMPORARY FENCE ACCESSORIES

AVAILABLE  
IN SMART  
(1MM THICK)  
OR MAXI  
(2MM THICK)



MAN GATE



GATE WHEELS

AVAILABLE  
IN 2.4M  
OR 3.3M  
LENGTHS



HAND RAIL

AVAILABLE  
IN 2.1M  
OR 3M  
LENGTHS



DOG BAR

RANGE  
OF SIZES  
AVAILABLE



STILLAGE



CLAMPS

LOW TRIP  
HAZARD



METAL FEET



LOCK & CHAIN




# SMARTWALL

The NEW SmartWall is our latest water filled barrier system. State of the art in design, it utilises our Smart or Maxi temporary fence panels.

Easy to install, the simple one-piece base is stackable, lightweight and easy to transport. The brightly coloured base component provides maximum visibility, while it's low profile with sloped edges reduces the risk of climbing.

The compact, narrow shape also eliminates tripping hazards. Strong, durable, and safe, our new SmartWall is fully engineer certified for superior stability and performance.



Scan this QR code to check out our range of water filled barriers and accessories





# SMARTWALL TEMPORARY FENCE WATER FILLED BASE



 **NEW PRODUCT**



## SMART WALL

### Features and benefits:

- Easy to install or relocate with it's simple one-piece design
- Stackable, allowing up to 36 units per stack, no pallets required
- Easy to lift handles on side and middle
- Low profile prevents anything sliding underneath
- Narrow footprint, less encroachment on footpaths
- Sleek aesthetic, ideal for high traffic areas and high profile sites

<b>Size</b>	2,385mm (L) x 464mm (H) x 388mm (W)
<b>Weight</b>	31kgs (empty) 304kgs (water filled)
<b>Capacity</b>	273 litres
<b>Material</b>	LLDPE
<b>Australian designed</b>	

### COST EFFECTIVE TRANSPORT



### EASY LIFT HANDLES



### SLEEK, NARROW DESIGN





# CROWD CONTROL BARRIERS


Quick and easy to install, our strong and durable crowd control barrier system is ideal to keep people safe at events, worksites and gatherings.

It's stable, flat feet, have holes for pegging or dyna-bolting which helps reduce the risk of tripping. These barriers are easy for one person to lift and feature a durable construction, making them perfect for long-term use and frequent handling.


Available in either a heavy duty or regular (ezi) version.

Scan this QR code to check out our range of water filled barriers and accessories





 **CROWD CONTROL BARRIER RANGE**



**EZI 2.2M  
FLAT FOOT**

*CROWD CONTROL BARRIER*


<b>Weight</b>	14kg
<b>Length</b>	2200mm
<b>Height</b>	1100mm
<b>Frame</b>	25mm O.D.
<b>Infill pickets</b>	20mm O.D. 200mm spacings



**ORANGE 2.2M  
FLAT FOOT**

*CROWD CONTROL BARRIER*

<b>Weight</b>	14kg
<b>Length</b>	2200mm
<b>Height</b>	1100mm
<b>Frame</b>	25mm O.D.
<b>Infill pickets</b>	20mm O.D. 200mm spacings



**HEAVY DUTY  
2.2M FLAT FOOT**

*CROWD CONTROL BARRIER*

<b>Weight</b>	18.5kg
<b>Length</b>	2200mm
<b>Height</b>	1100mm
<b>Frame</b>	25mm O.D.
<b>Infill pickets</b>	20mm O.D. 200mm spacings

INCLUDES  
GATE SPRING  
AND 2 FEET



## CROWD CONTROL BARRIER GATE

<b>Weight</b>	20kg
<b>Barrier</b>	2200mm (W) x 1100mm (H)
<b>Gate</b>	760mm (W) x 950mm (H)
<b>Arch</b>	900mm (W) x 2100mm (H)
<b>Finish</b>	Galvanised or Orange






# CONSTRUCTION BARRIERS

Robust and durable, our construction barriers are built for long life and regular use. Lightweight for an easy one man lift, they are quick and easy to install.


Featuring high-visibility netted mesh and durable feet with holes for pegging or dyna-bolting, our construction barriers provide extra stability. They're the perfect solution for ensuring public safety on your worksite.

Scan this QR code to check out our range of water filled barriers and accessories






## CONSTRUCTION BARRIER



### CONSTRUCTION BARRIER

<b>Weight</b>	19 kg
<b>Length</b>	2050mm
<b>Height</b>	1335mm
<b>Material</b>	High quality PVC combined with water resistant materials
<b>Infill pickets</b>	20mm O.D. 200mm spacings





# ACOUSTIC CURTAINS

Acoustic Curtains or as they are otherwise known, Noise reduction barriers have become an essential element on construction projects and building sites.

Designed using world-leading acoustic technology, our acoustic curtains are a must to help protect local communities and employees from the harmful effects of excessive noise.


Scan this QR code  
to check out our  
acoustic curtains





## ACOUSTIC CURTAIN STANDARD BLUE

<b>Weight</b>	11kg
<b>Height</b>	2050mm
<b>Width</b>	1335mm
<b>Rating</b>	Rw20dB Certified Sound Reduction
<b>Fitting</b>	Velcro and eyelets





# PORTABLE TOILETS & SHOWERS

## Leaders in sanitation solutions

0508TempFence is New Zealand's preferred supplier of portable toilets for; construction sites, events and rural properties right across the country. We're also the supplier of choice for the hire & rental industry. We provide high quality, safe, comfortable, hygienic and affordable portable toilets, showers and accessories to meet the demands of all onsite employees, event attendees and general public.

We pride ourselves on building ergonomically friendly toilets designed with the latest technology. Our products are built from premium materials, carefully designed to withstand regular movement and frequent usage, combining strong and durable materials with sleek, modern design. Every portable toilet can be controlled completely by foot, taking sanitation to the next level with a completely touch free experience.

Scan this QR code to check  
out our range of portable  
toilets and showers





## BILLABONG PORTABLE TOILET

Weight	165kg
Waste tank	390 litres
Fresh water tank	160 litres
Size	1200mm (L) x 1120mm (W) x 2350mm (H)
Wall colours	● Blue ● Grey
Walls	Twin skin



## SEWER CONNECT TOILET

Weight	140kg
Waste	Mains connect (sewer)
Fresh water	Mains connect (water)
Size	1200mm (L) x 1120mm (W) x 2200mm (H)
Wall colours	● Blue ● Grey
Walls	Twin skin



# PORTABLE TOILET RANGE





## ACCESSIBLE PORTABLE TOILET

<b>Weight</b>	180kg
<b>Waste tank</b>	150 litres
<b>Fresh water tank</b>	110 litres
<b>Size</b>	1950mm (L) 1950mm (W) 2300mm (H)
<b>Wall colours</b>	Blue with grey door
<b>Skid base</b>	PE (Floor PP)



## WATERFALL PORTABLE SHOWER

<b>Weight</b>	100kg
<b>Size</b>	1170mm (L) 1180mm (W) 2300mm (H)
<b>Skid base</b>	Galvanised steel
<b>Wall colours</b>	● Blue ● Grey
<b>Special features</b>	Floor drain & shelf
<b>Walls</b>	Twin skin
<b>Optional extras</b>	Gas hot water unit option available

\*Models may vary slightly depending on location.

## ACCESSORIES



TOILET LED  
LIGHT



TOILET ROLL  
HOLDER



URINAL

# PREFER TO HIRE?



**WE'RE HAPPY TO HELP!**

TALK TO ONE OF OUR EXPERTS TODAY




# TRAFFIC, SITE AND SAFETY EQUIPMENT

0508TempFence offers a comprehensive range of products designed to ensure the safety and efficiency of your worksite or traffic management needs. From civil and site consumables to safety signage, traffic cones, and accessories, we offer high-quality, reliable solutions to help maintain secure and compliant environments.



Scan this QR code  
to check out our  
range of portable  
toilets and showers





## TRAFFIC ACCESSORIES

30m or 100m



**COLOURED SAFETY FLAGGING / BUNTING**




**TRAFFIC BOLLARDS 100X1150MM**

6kg



**TRAFFIC BOLLARD BASE 420X420MM**

1m x 50m



**ORANGE BARRIER MESH**

## BARRIER MESH PACKS

50m or 100m packs



Our barrier packs provide high visibility while restricting access to hazards. Buy today in convenient 50m or 100m packs.

**PACK INCLUDES:**

- Orange barrier mesh roll/s
- Y-post / Star pickets / Waratahs
- Wire roll
- Y-posts / Star picket / Waratah caps



# WATER FILLED BARRIERS

0508TempFence's Water filled barrier are a great safety barrier solution. Our lightweight **X-Stream** model is ideal for building sites and pedestrian walkways, while the heavy-duty **X-Site** barrier is perfect for road closures, events, or construction zones requiring traffic management.

These versatile barriers are quick to install using a simple interlocking system. They're easy to manoeuvre, highly visible, and built to last.



Scan this QR code to check out our range of water filled barriers and accessories



## WATER FILLED BARRIER RANGE



### X-STREAM WATER FILLED BARRIER

<b>Weight</b>	20kg (empty)
<b>Weight</b>	205kg (filled)
<b>Length</b>	2000mm
<b>Height</b>	900mm
<b>Width</b>	500mm
<b>Colour</b>	Available in Orange and White



### X-SITE WATER FILLED BARRIER

<b>Weight</b>	31kg (empty)
<b>Weight</b>	360kg (filled)
<b>Length</b>	2200mm
<b>Height</b>	990mm
<b>Width</b>	600mm
<b>Colour</b>	Available in Orange and White




# Y-POSTS

Our heavy duty Y-Posts come with pre-drilled holes for fixing wire, temporary fence, barrier mesh, flags and more. Suitable for construction, fencing and formwork.

Large range of sizes available.



Scan this QR code to check out our range of star pickets



# Y-POSTS





# SPECIFICATIONS

Colour:	Size:	Holes:
Black	900mm	5 Holes
Black	1350mm	11 Holes
Black	1500mm	14 Holes
Black	1650mm	14 Holes
Black	1800mm	14 Holes

Weight:	Smart (Black):	Super (Black):
Per Metre	1.39kg	1.9kg

# Y-POSTS SIZE CHART





# SITE SECURITY CAMERAS

0508TempFence strives to offer the best in Site Security services. Our Solar/Wireless Security Camera Systems monitor and protect your site and assets, with 24/7 visibility. Take control and reduce your risk of theft and crime. Whatever your site requirements, we have a camera to suit your needs, with above-ground and container mounted options.

## **Smart motion detection**

Our AI motion detection technology helps you to focus on human and vehicle events. The device will only trigger an alarm when the preset intrusion type (human or vehicle) takes place and videos related to alarm events are sorted into human and vehicle categories for easier footage searches.



Scan this QR code  
to check out our  
range of cameras



 **CAMERA RANGE**

**4K TURRET CAMERA**




**SINGLE TURRET**

For single site applications. Provides coverage to both sides of a fence.




**DETECTION & COVERAGE RANGE**



**DOUBLE TURRET**

Ideal in narrow walkways, site entrance gates and site offices, when you need to monitor two different directions.






## INSTALLATION OPTIONS



### ABOVE-GROUND

1 x 4m strong steel pivoting pole

1 x above-ground, weighted modular steel base, forkliftable



### CONTAINER MOUNTED

1 x 1.2m extension pole

1 x anti tamper lockable shipping container mount

## ACCESSORIES AND ADD ONS



### LED FLOODLIGHT

High powered LED floodlight for visibility at night. (6800LM).



### DATA PLAN

Data plan & configuration p/month p/unit.



### SECURITY MONITORING

1300SiteCam can provide 24/7 site monitoring.



### TIME LAPSE

Photos are captured (every 30mins) and merged into a time lapse video.



# SHADE CLOTH


0508TempFence specialises in providing high quality heavy duty Shade Cloth. Whether it is for commercial or residential use we offer a wide range of colours, density options and widths.

Scan this QR code  
to check out our  
range of shade cloth





 **DENSITY RANGE**



 **WEIGHT PER ROLL**

%	1.83M X 25M ROLL	1.83M X 50M ROLL	3.66M X 50M ROLL
50%	-	15.6kg	30kg
70%	16kg	16kg	31kg
90%	-	18.5kg	37kg

## COLOUR RANGE



## TOOLS AND ACCESSORIES



RING FASTENER AND RINGS  
SOLD SEPERATLEY



CABLE TIES  
PACK OF 100  
(ASSORTED SIZES AVAILABLE)

## YOU MIGHT ALSO LIKE



WEEDMAT  
BLACK OR WHITE

Weight	1.8x50m 8kg / 2.1x50m 9.5kg
Length	50m roll <i>Durable</i> 80gsm
Height	1.8m (White) 1.8m / 2.1m (Black)




## ASK ABOUT OUR PRINTED FENCE BANNERS

# WE'RE HAPPY TO HELP

TALK TO ONE OF OUR EXPERTS TODAY






# GROUND PROTECTION MATS

At 0508TempFence, we offer durable solutions to safeguard your site's surface and prevent damage during construction, events, or heavy equipment use. Our high quality ground protection mats are designed to distribute weight evenly, and provide safe access on soft or uneven ground. Ideal for protecting lawns, driveways, and sensitive surfaces, our ground protection mats help keep your site clean, efficient, and compliant with safety standards.



Scan this QR code  
to check out our range  
of ground protection





**GROUND PROTECTION MATS**



**GROUND PROTECTION MAT**

<b>Size</b>	2400mm x 1200mm
<b>Weight</b>	36kg
<b>Thickness</b>	12mm
<b>Materials</b>	HDPE
<b>Load rating</b>	40t solid ground / 20t soft ground



**CONNECTORS**



**GROUND PROTECTION MAT CONNECTOR**

2 way or 4 way. Used to hold 2 or 4 mats together at the corner holes.









THANKYOU

0508 836 733 | 0508TEMPFENCE.CO.NZ